




Drilling Attachment

CPA Range Overview






The use of innovative high performance technology in product design and manufacturing makes Montabert breakers and hydraulic drifters the most efficient and reliable choice for customers around the globe.

Since 1921, Montabert products have been produced with a commitment to designing methods and solutions focused on productivity, reliability and safety.

A continuous investment in research and development has resulted in the delivery of technology products that will revolutionize the hydraulic rock breaker market. For almost 100 years, Montabert products have led the industry with three to five patents a year.

With a network of 150 dealers around the world, you will always find a Montabert certified partner close to you to provide the best service and solutions.



		Micro CPA	Micro CPA 360
Montabert drifter		HC20	HC20
Hole diameter	mm	26 - 51	26 - 51
Feed length	mm	4,346	4,746
Hole length (max)	m	6 - 9	6 - 9
Type of rod		Hex 22/25 - R32	Hex 22/25 - R32
Rod changer (*optional)		No	No
Feed swing	°	+/- 45°	+/- 180°
Air requirement	l/mm	2,000 - 3,500	2,000 - 3,500
Dust collector		Pneumatic	Pneumatic
CPA weight	Kg	540 - 690	780
Carrier weight	T	7 - 10	10 - 14
Hydraulic requirement	l/mm	60 - 95	60 - 95
	bar	165	165
Optional CE protection		Metallic cage	No

⁽¹⁾ For no CE version



With Montabert CPA drilling attachments, your hydraulic excavator become a multipurpose tool

Applications:

- Quarry holes for blasting
- Trenches and road opening
- Utility works
- Anchoring, rock bolting, draining
- Rough terrain construction
- High or long reach drilling

Montabert drifters are proven worldwide for their:

- Longest maintenance intervals
- High reliability
- Faster drilling speed
- Lowest tools consumption


Our drill controls system provide:

- Straight holes
- Best productivity
- Easy drilling in difficult locations or rock conditions

Main user benefits:

- Attachments easy to install and remove
- Simple to use
- Wide range of application
- Long reach possibilities
- More flexible than a drill rig
- Improve usage rate of the excavator
- Enables the possibility of managing complete activities on site (excavation, anchorage, bolting or blasting)
- Reduces reliance on others
- Expands the company's capabilities

CPA 222E	CPA 225E	CPA 250	CPA 295	CPA X-Tend		
HC50	HC50	HC50	HC95	HC150 RP	HC112 RP	HC160 RP
36 - 76	36 - 76	64 - 76	76 - 105	76 - 115	76 - 127	89 - 140
6,073	6,073	6,896	6,896	7,214 - 9,975	7,214 - 9,975	7,214 - 9,975
7.4	7.4	21	21	28	28	28
R32 - T38	R32 - T38	T38	T45 - T51	T45 - T51 - T60		
Rod adder	Rod adder*	5 rod	5 rod	Rod changer for 5 or 7 rods*		
4 x +/- 47°	4 x +/- 47°	+/- 45°(*)	+/- 45°(*)	+/- 27°		
4,000	4,000	6,000	8,500	8,500 - 12,000		
Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
1,610	1,610	2,550	2,740	3,920	2,810 - 3,114	3,150 - 4,300
20 - 27	20 - 27	25 - 35	25 - 35	35 - 45	35 - 45	35 - 45
160 - 180	160 - 180	180 - 190	185 - 195	195	210 - 220	210 - 220
200	200	200	220	190	220	220
Virtual barrier	No	Virtual barrier	Virtual barrier	Metallic cage		



150 dealers around the world
Find yours: www.montabert.com

Product designs, specifications and/or data in this document are provided for informational purposes only and are not warranties of any kind. Product designs and/or specifications may be changed at any time without notice. The only warranties that apply to sales of products and services are Joy Global's standard written warranties, which will be furnished upon request.

Joy Global, Joy, Montabert P&H and related logos are trademarks of Joy Global Inc. or one of its affiliates.
© 2017 Joy Global Inc. or one of its affiliates. All rights reserved.



montabert.com